


SQUARE CEILING DIFFUSERS

ADJUSTABLE PATTERN · LOUVERED FACE

STEEL • ROUND NECK • 4 CONE

MODEL: RNSA2 'ROTATING TYPE'

☐ TYPE L Lay-in T-Bar



Dimensional Data

Ceiling Module CM		Imperial Units (inches)				Metric Units (mm)			
Imperial Modules	Metric Modules	Duct Size D	N	Α	В	Duct Size D	N	Α	В
12 x 12	300 x 300	4*, 5*	3 1/4	2 1/4	0 to 1/2	102*, 127*	83		0 to 13
		6, 7, 8	1 1/4			152, 178, 203	32	57	
24 x 24	600 x 600	6, 8, 10, 12, 14, 15	1 1/4	3 3/4	0 to 3/8	152, 203, 254, 305, 356, 381	32	95	0 to 10

* Supplied with a reducer.

DESCRIPTION:

- 1. Material: Heavy-gauge corrosion-resistant steel.
- 2. The air discharge pattern on RNSA2 diffusers may be adjusted from horizontal to vertical by gradually moving the position of the inner three cone assembly from the down to an up (recessed) position - allowing a variable pattern adjustment. Model RNSA2 has a 'screw type' arrangement where the angle of discharge is varied by rotating the center cone.
- 3. The diffuser delivers the supply air in a true 360° streamline pattern. Excellent for VAV systems.
- 4. The RNSA2 consists of four die-formed concentric cones in all sizes which eliminate mitered corners and provide uniform appearance in all neck sizes. Outer cone is one
- 5. A spring clip arrangement permits quick, easy installation and removal of the inner cone assembly.
- 6. Diffuser has a removable plug for screwdriver adjustment of the optional damper without removing the inner core.
- 7. Standard finish is AW Appliance White.

Horizontal Air Pattern OPTIONS:

☐ EX External Foil-Back Insulation, installed - R-4.2

■ EXB External Foil-Back Insulation, ships loose - R-4.2

☐ EQT Earthquake Tabs Finish:


☐ SP Special. Specify

QB Quadrant Blanks: ☐ QB3 3-Way Blow

☐ QC2 2-Way Corner Blow ☐ QB2 2-Way Opposite Blow

☐ QB1 1-Way Blow

PROJECT:









Vertical Air Pattern


Fineline® is a registered trademark of USG Interiors Inc.

SCHEDULE TYPE: Dimensions are in inches (mm).

ENGINEER: DATE **B SERIES** SUPERSEDES DRAWING NO. CONTRACTOR: 2 - 6 - 17 **RNSA** 3 - 1 - 16 4200-5B







For one directional exposed T-Bar or fully

concealed grid. 1 spline on two opposite sides. Steel lift brackets on other.

☐ TYPE SP Spline