





PLAQUE CEILING DIFFUSERS
SQUARE NECK • ADJUSTABLE FACE
MODEL: 6600 AND 6600-O



TYPE S FRAME
SURFACE MOUNT

Min. duct size
 6" x 6"
 (152 x 152)
 Max. duct size
 18" x 18"
 (457 x 457)
 Duct sizes are
 available in 3" (76)
 increments only.



TYPE PL
PANEL MOUNTED
LAY-IN T-BAR
 (Extended panel)

Ceiling Module Size		Maximum Duct Size Type L
Imperial (inches)	Metric (mm)	
20 x 20	500 x 500	12 x 12 (305 x 305)
24 x 24	600 x 600	18 x 18 (457 x 457)

NOTES:

1. Material: Corrosion-resistant steel.
2. The 6600 is designed to satisfy architectural as well as engineering criteria. The edges of the face panel are hemmed to provide a clean appearance and provide strength.
3. The face panel is adjustable by means of four sprung countersunk screws and can be positioned to provide a 1/2" (13) to 1 1/4" (32) variable opening and therefore an adjustable length of throw.
4. The 6600 provides a tight horizontal 360° uniform air pattern and is ideally suited for use in variable air volume systems.
5. Standard finish is AW Appliance White.

OPTIONS:

6. Hinged air deflector(s) for 1, 2 or 3-way blow pattern.
 - 3-way blow
 - 2-way corner blow
 - 2-way opposite blow
 - 1-way blow
7. Square neck opposed blade damper. Model 6600-O.
8. Square to round transition collars
 - SQR (for round neck dampers)
 - SQR-O (for use over OBD)
9. Round neck radial damper. Model 4275.
10. Optional finish:
 - SP Special. Specify _____.

SCHEDULE TYPE:		Dimensions are in inches (mm).			
PROJECT:					
ENGINEER:	DATE	B SERIES	SUPERSEDES	DRAWING NO.	
CONTRACTOR:	3 - 1 - 16	6600	19 - 7 - 99RR	6600-1	